The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

For a petition to be considered valid it must:

- 1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
- 2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
- 3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
- 4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Application # : FW-23744

Stream : Tippecanoe River

Applicant : Pulaski County Fair Board

Theresa Calloway 6389 East 900 South

Royal Center, IN 46978-9317

Description : An open sided 40' x 120' pole barn will be constructed in the floodway. Details of

the project. Details of the project are contained in information and plans received

at the Division of Water on March 20, 2006.

Location : Along the west bank of the river beginning approximately 5000' upstream of the

Washington Street bridge and extending upstream 150' near Winamac, Monroe Township, Pulaski County

NE14, NW14, NW14, Section 13, T 30N, R 2W, Winamac Quadrangle

Quad Code: 4108615

UTM Coordinates: Downstream 4544870 North, 533711 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

RASR010 1 03/30/2006 11:05 AM

Application # : FW-23745

Stream : Prairie Creek

Applicant : City of Frankfort

Dennis Shirar

301 East Clinton Street Frankfort, IN 46040-1926

Description : A stormwater outfall structure will be constructed along the west bank of the creek

to improve drainage for the City of Frankfort. The outfall structure will consist of a 54" reinforced concrete pipe buried at an elevation of 843.4'. The 32' long pipe will carry stormwater from the new storm sewer for Washington Street to the creek. The pipe will terminate with a concrete headwall with an energy dissipator that will conform to the bank slope. The dissipator will consist of riprap over a geotextile filter fabric. TDetails of the project are contained in information and

plans received at the Division of Water on March 20, 2006.

Location : Beginning at the west bank of Prairie Creek, approximately 25' south of the

Washington Street bridge, and extending west approximately 32' along

Washington Street

near Frankfort, Center Township, Clinton County

NW1/4, SE1/4, NE1/4, Section 10, T 21N, R 1W, Frankfort Quadrangle

Quad Code: 4008635

UTM Coordinates: Downstream 4459110 North, 541695 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23746

Stream : Whitewater River

Applicant : David Gunter Excavating

David Gunter

2 East Salem Road

Batesville, IN 47006-8761

Description : An area of approximate 80' x 80' of silt will be removed to a minimum depth of 4'

and will be hauled off of job site. A hydraulic excavator will perform this job. Details of the project are contained in information received electronically at the Division of Water on March 22, 2006 and plans and information received at the

Division of Water on March 27, 2006.

Location : Left (East) bank, at the Laurel Feeder Dam to Whitewater Canal

near Laurel, Laurel Township, Franklin County

SE14, SW14, SE14, Section 16, T 12N, R 12E, Metamora Quadrangle

Quad Code: 3908542

UTM Coordinates: Downstream 4372002 North, 655546 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23750

Stream : Elkhart River

Applicant : Elkhart County Parks

Larry Neff

211 West Lincoln Avenue Goshen, IN 46526-3280

Description : Approximately 40' of river's eroded northeast right streambank will be stabilized

with rip rap to protect the bank from further erosion. The rip rap will be keyed into the streambank at its base and will conform to the existing bank at the project limits. It will have a maximum height of 3' with 8:1 sideslopes. It will not extend beyond the stream bank. Details of the project are contained in information and

plans received at the Division of Water on March 23, 2006.

Location : Approximately 60' downstream of the Goshen Dam extending downstream 40'

near Goshen, Elkhart Township, Elkhart County

NW1/4, SW1/4, NE1/4, Section 21, T 36N, R 6E, Goshen Quadrangle

Quad Code: 4108557

UTM Coordinates: Downstream 4601707 North, 597040 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

RASR010 4 03/30/2006 11:05 AM

Application # : FW-23751

Stream : East Fork White Lick Creek

Applicant : Arvin Hopkins

11050 North Bethel Road Mooresville, IN 46158-6941

Description : A 455' earthen berm has been constructed along the west bank of the East Fork

White Lick Creek. The berm varies in height from 4' to 8' and is approximately 6' wide. The berm has side slopes that are approximately 3:1. Details of the project are contained in information and plans received at the Division of Water on March

23, 2006.

Location : Along the west bank of East Fork White Lick Creek approximately 2000' west of

the State Road 67 and Bridge Street intersection and south for approximately

400' and continuing south for approximately 455'

DOWNSTREAM: near Mooresville, Brown Township, Morgan County W½, NE¼, NE¼, Section 36, T 14N, R 1E, Mooresville East Quadrangle

Quad Code: 3908653

UTM Coordinates: Downstream 4385083 North, 554619 East

UPSTREAM:

UTM Coordinates: Upstream 4385267 North, 554701 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23753

Stream : Ohio River

Applicant : ADM Grain Co

Dan Young

2350 Broadway Avenue Evansville, IN 47712-4916

Description : A 78' diameter 340,000-bushel grain tank and 2' concrete pad will be constructed,

on previous fill, along the right (west) bank of the Ohio River. The site was previously filled to an elevation of approximately 381.0' NGVD (1929) in 1978.

The pad elevation of the tank will be 383.0' NGVD (1929). The existing

facility/building, grain tank bases are at an elevation of 383.0' NGVD (1929) or above. Details of the project are contained in information and plans received at

the Division of Water on March 24, 2006.

Location : 2730 Dixie Flyer Road; along the right (west) overbank, at approximate river mile

794.5

DOWNSTREAM: near Evansville, Perry Township, Vanderburgh County

SE¼, SW¼, NE¼, Section 35, T 6S, R 11W, Evansville South, IN-KY Quadrangle

Quad Code: 3708785

UTM Coordinates: Downstream 4201200 North, 446675 East

UPSTREAM: Vanderburgh County

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23754

Stream : Little Kankakee River

Applicant : Canadian National Railway

Rodney Nagel

17641 South Ashland Avenue Homewood, IL 60430-1345

Description : The existing timber bridge will be replaced with a 2-span concrete trestle bridge

with equal span lengths of 36'. The new structure will have an out-to-out length of 74'-2" and a width of 28'-1 1/2". The existing structure will be removed to 12" below grade. The new concrete bridge will be built on essentially the same alignment as the existing bridge. Details of the project are contained in information and plans received at the Division of Water on March 24, 2006.

Location : At the Grant Trunk Railroad crossing; approximately 1/2 mile SW of track

crossing at State Highway 4

DOWNSTREAM: near Stillwell, Lincoln Township, LaPorte County NW¼, SW¼, SE¼, Section 18, T 36N, R 1W, Stillwell Quadrangle

Quad Code: 4108655

UTM Coordinates: Downstream 4601719 North, 535763 East

UPSTREAM:

UTM Coordinates: Upstream 4601500 North, 535775 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

RASR010 7 03/30/2006 11:05 AM

Application # : FW-23757

Stream : Turkey Pen Creek

Applicant : Joseph P Waltermann

4382 Olive Branch Road Greenwood, IN 46143-9667

Description

Location

Approximately 130' of the Turkey Penn channel will be realigned and straightened to 130' behind current tree line. No trees will have to be removed. The new channel will be approximately 130' long. It will be 6' deep, with an 8' bottom width . The channel will be excavated "in the dry" and will not be connected to the existing channel until the excavation has been stabilized. Material excavated from the construction of the new channel will be stockpiled for later use as fill for the old channel. Additional fill material will be brought onsite from an outside source. This will be lined with riprap to prevent further erosion to land and trees. Details of the project are contained in information received electronically received at the Division of Water on March 29, 2006.

: Take Meridian Street south. It will become 135 S. Turn right on Olive Branch Rd. 2 miles south of Smith Valley Rd. Go West on Olive Branch for 3-4 miles. We are located on north side of Rd between Berry and Runyon Rds. The creek becomes U-shaped when it enters our property. We would like to straighten it to prevent further loss of dirt and trees during heavy rains. We have lost approximately 6 inches of dirt and 3-5 trees due to erosion. We will not have to remove any trees or adjust any thing in the evironment. This straightening is a simple project and will avoid alot of further damage to the environment.

at Greenwood, White River Township, Johnson County

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

RASR010 8 03/30/2006 11:05 AM

Application # : FW-23758

Stream : West Fork White River

Applicant : Indianapolis Art Center

Joyce A Sommer 820 East 67th Street

Indianapolis, IN 46220-1139

Description

The purpose of this project is to construct a new canoe launch to the West Fork White River. The project location and site plans are presented in Figures 1 through 3. The launch area will be a circular concrete platform with ledge rock steps down to the water's edge. This platform will be located at an elevation of 703' and will be 23.38' in diameter. Two concrete pathways, 8' in width, will be constructed that lead from the parking lot to the circular launch platform. One of the pathways will follow along an existing gravel pathway that leads down to the river's edge and then curves to follow along the shore and the base of the existing hill over to the launch platform. The second pathway will lead directly from the parking lot to connect to the first pathway as it follows along the base of the existing hill over to the launch platform. This pathway will be composed of crushed stone with timber stairs that follow down the existing topography to the first pathway from an elevation of 714' to 704'. An approximately 5,388 square foot paved parking lot will be installed over the existing gravel parking lot. This parking lot will be located at an elevation of 713' to 714'. Pathways will connect the parking lot to a circular platform, 18' in diameter, which connects an adjacent gravel trail to the concrete pathways that lead down to the canoe launch platform. This circular platform will be located where there is an existing maintained lawn and will be at the same elevation as the parking lot. Details of the project are contained in information received electronically at the Division of Water on March 29, 2006.

Location

The canoe launch project will be located on the south shore of the West Fork White River. The project site is bordered to the north by the White River, to the east by the Monon Trail, to the west by a maintained lawn and private property, and to the south by E. 68th Street

at Indianapolis, Washington Township, Marion County

Section 36, T 17N, R 3E, Carmel Quadrangle

Quad Code: 3908682

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23759

Stream : Elkhart River

Applicant : Randall L Graber

57265 CR 13

Elkhart, IN 46516-9163

Description : Approximately 250' of 250' eroded east left streambank will be stabilized with

end-dumped rip rap placed over a geotextile fabric to protect the bank from further erosion. The riprap will be keyed into the streambed at its base and will conform to the existing bank at the project limits. It will have a maximum height of 5', a maximum streamward projection of 2' beyond the existing bank, and 1:1

sideslopes. Details of the project are contained in information received

electronically at the Division of Water on March 29, 2006.

Location : 1 mile south of old US 20 on C.R. 13 on west side of the road or 1/4 mile north of

C.R. 18 (Hively St.) on C.R. 13 on the west side of the road.

near Elkhart, Concord Township, Elkhart County

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23761

Stream : Ohio River

Applicant : Cinergy Services Inc

William B Taylor

1000 East Main Street Plainfield, IN 46168-1765

Description

: Cinergy wishes to construct at our Markland Hydroelectric Station, a service water well. The well is necessary in order to maintain operation of the plant. The design will be one of two options depending on contractor pricing. The first option will be a stand alone tower approximately 16' tall with a 10'X10' platform and enclosure on the top 4'of the tower. Depending upon pricing a below surface well may be constructed. This design would consist of a 9'x13' vault 12'deep in which the well pump would be stored. The vault would be capped with a slab which would include an access door. The new well will be constructed near the Ohio River (mile 531.5) just upstream from the dam on the right descending side of the river. It will be constructed at coordinates WGS 84, N 38° 46.780 W 84° 57.750. Please note that the proposed location of the well occurs on soil previously disturbed during the construction of the facility. Drawings and photos will be sent concurrently with the application. Details of the project are contained in information received electronically at the Division of Water on March 29, 2006.

Location

The proposed site will be located in Switzerland county on the Ohio River (mile 531.5) on the right descending side just upstream from Markland dam. The latitude and longitude coordinates for the site are WGS 84, N 38°46.780' W 84° 57.750'.

Driving directions to the site from Indianapolis are I-65 south to Scottsburg. Begin heading East on SR-56 to the town of Vevay. At Vevay switch to SR-156 continue on 156 to the Markland Dam

near Markland, York Township, Switzerland County Section 2, T 1N, R 2W, Florence, IN-KY Quadrangle

Quad Code: 3808478

Statute/Rule

Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : PL-20395

Lake : Lake Wawasee

Applicant : J Fritz Kreutzinger

11989 North Ogden Point Road Syracuse, IN 46567-8722

Description : An approximate 50' by 60' area will be filled to create a 3000 square foot gravel

parking lot. The area will be filled with 170 cubic yards of clean fill covered by 36 yards of gravel. The depth of the fill material will be approximately 18". The fill area will be located adjacent to the road shoulder and the top elevation will be equal to the road shoulder. The sideslopes of the fill area will not exceed 3:1. Details of the project are contained in information and plans received at the

Division of Water on March 20, 2006.

Location : North Ogden Point Road

near Syracuse, Turkey Creek Township, Kosciusko County

NW¼, NE¼, NE¼, Section 15, T 34N, R 7E, Lake Wawasee Quadrangle

Quad Code: 4108546

UTM Coordinates: Downstream 4584986 North, 609003 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20400

Lake : Wall Lake

Applicant : Linda and Tom Amstutz

410 Whitetail Ridge Tecumseh, MI 49286

Description : A new glacial stone seawall will be constructed across 350' of the applicant's

frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received

at the Division of Water on March 27, 2006.

Location : 5895 North 1195 East

near Orland, Greenfield Township, LaGrange County

NE14, SE14, NE14, Section 25, T 38N, R 12E, Orland Quadrangle

Quad Code: 4108562

UTM Coordinates: Downstream 4621124 North, 649898 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20401

Lake : Crooked Lake

Applicant : David Pepple

6001 Ranger Trail

Fort Wayne, IN 46835-3732

Description : An existing concrete and glacial stone seawall will be refaced with a layer of

concrete across 75' of the applicant's frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and

plans received at the Division of Water on March 27, 2006.

Location : #560 Lane 375, Lot #28, Long Beach Subdivision

near Angola, Pleasant Township, Steuben County

SW1/4, SE1/4, Section 9, T 37N, R 13E, Angola West Quadrangle

Quad Code: 4108561

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20402

Lake : Cedar Lake

Applicant : Richard W Gregory

2075 East Crampton Road Columbia City, IN 46725-8979

Description : A new underwater beach will be constructed in front of the property of the

applicant on Big Cedar Lake to provide a beach for the grandchildren. The beach will consist of a 1" to 3" thick layer of 7/64 inch clean, washed pea gravel placed directly on the lakebed. The beach will begin approximately 10' west of the eastern property line and will extend westerly across 30' of the 100' frontage. It will have a maximum lakeward projection of 30' or a depth of 4' below the average normal level of the lake. Details of the project are contained in

information received electronically at the Division of Water on March 29, 2006.

Location : 2075 East Crampton Road

Big Cedar Lake in Thorncreek Township on the southwestern corner of the large

basin

at Columbia City, Thorncreek Township, Whitley County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11